



????? - ?????? ?? ?? - MEDAVITA

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???



MEDAVITA

✉ bbazar@globelife.com
☎ +39 0331 1706328

COLORCONTROL - ?????? ???
COLORCONTROL - ?? tecnici ?? ??? ???

???? ?? ??? ?????? ?????? ? ?????????? ?? ??? ??? ?????????? ? ?????? ?? ?? ? ?????????? ?? ?? ? ??
?? ??????

?? MILK ?? pH iperproteico 5.8
??? ?????????? ?? ????? ? ?? ?? ?????? ??? ? ?????? ???.
1000 ????? ????? ?????.

?? ?????? COSMETIC pH ?????? 5.8
????? ??? ? ??? ? ?? ?? ?????? ?? ??? ?????? ??? ?????? ?? . ????? ????? ????? 250 ????? ??????
????? ??? ??? 1000 ????? ?????

??? ??? ?? ??? ????? ? ?????? ?? ??? ??? ??????????. 250 ????? ????? ?????.

?? DET. pH ? ?????????? ????? 5.5
????? ?????? ??? ?? ?????? ? ?????????? ?????? ?????? ?????? ?? ?? ?? ?????? ??? ??? . 1000 ?????
????? ?????.

?? ?????????? DOPOCOLORE pH ?????? 3.5
????? ? ?????????? ????? ??? ?? ??? ?????? ????? ?????????? . ????? 7 ????? ????? ????????? 24 ???.

?? ?? ?? pH ?????????? 4.5
????????? ??? ?????????? ?????????? ????? ?????? ??? ??? / ????? ????? ????????? ? ?????.
250 ????? ????? ?????.